

CLAIM AMENDMENTS

1-129. (Cancelled)

130. (Currently Amended) An automatic focusing method for an optical system, comprising:

performing an initial coarse focus action along a focal axis at a scan position corresponding to a point on a surface of a slide; and

respectively performing a plurality of subsequent fine focus actions along a plurality of focal axes at a plurality of scan positions corresponding to different points on the slide surface, wherein the performance of at least one of the fine focus actions comprises obtaining images of the slide, each of which has a two-dimensional array of pixels, at a plurality of coordinates within a predetermined range along the respective focal axis, and selecting one of the plurality of coordinates as a fine in-focus coordinate based on an examination of the pixel arrays of the images.

131. (Previously Presented) The method of claim 130, wherein the coordinates are evenly distributed within the predetermined range.

132. (Previously Presented) The method of claim 130, wherein the performance of each fine focus action comprises determining a fine in-focus coordinate along the focal axis.

133. (Previously Presented) The method of claim 130, wherein the performance of the coarse focus action comprises determining a coarse in-focus coordinate along the focal axis.

134. (Currently Amended) The method of claim 133, wherein the performance of each at least one of the fine focus actions is based on the ~~course~~ coarse in-focus coordinate.

135. (Currently Amended) The method of claim 134, wherein the performance of each at least one of the fine focus actions comprises estimating an in-focus coordinate along the respective focal axis as a function of the ~~coarse in-focus coordinate~~ and a global focal plane.

136. (Currently Amended) The method of claim 130, wherein the performance of the coarse focus action comprises repeatedly obtaining an image of the slide at different coordinates along the focal axis until a coarse in-focus coordinate is determined.

137. (Previously Presented) The method of claim 132, wherein the performance of each of the fine focus actions comprises obtaining images of the slide at predetermined coordinates relative to the fine in-focus coordinate along the respective focal axis.

138. (Cancelled).

139. (Previously Presented) The method of claim 130, wherein the performance of at least one of the coarse focus action and each fine focus action comprises:

- obtaining images of the slide at a plurality of coordinates along the focal axis;
- determining a plurality of focus scores for the respective coordinates; and
- selecting one of the coordinates as an in-focus coordinate based on the focus scores.

140. (Previously Presented) The method of claim 139, wherein the coordinate having a maximum focus score is the coordinate selected as the in-focus coordinate.

141. (Previously Presented) The method of claim 130, wherein the slide carries a biological specimen.

142. (Previously Presented) The method of claim 130, wherein the coarse focus action and fine focus action are performed during a single image scan.

143. (Previously Presented) The method of claim 130, wherein the performance of one or both of the coarse focus action and fine focus actions comprises moving an element of the optical system relative to the slide surface to coordinates along the respective focal axes.

144. (Previously Presented) The method of claim 130, wherein the performance of the fine focus actions comprises moving an element of the optical system relative to the slide along a scan axis to the respective scan positions.

145-168. (Cancelled).

169. (Newly Added) The method of claim 130, wherein each of the images has a 640x480 pixel array size.

170. (Newly Added) The method of claim 130, wherein the examination of each of the pixel arrays comprises comparing pixels to each other.

171. (Newly Added) The method of claim 170, wherein the pixel comparison comprises comparing gray scale values of the pixels.

172. (Newly Added) The method of claim 171, wherein the gray scale value comparison comprises comparing gray scale values between pairs of pixels separated by a fixed number of pixels

173. (Newly Added) The method of claim 130, wherein the examination of each of the pixel arrays comprises determining a focus score, and wherein the coordinate corresponding to the pixel array having the highest focus score is selected as the in-focus coordinate.

174. (Newly Added) The method of claim 173, wherein the focus score for each of the pixel arrays is determined in accordance with the equation:

$$f(z) = \sum_j \sum_i (G_i(z) - G_{i+n}(z))^2, \text{ where } i \text{ is an index ranging over all imaging points, in order,}$$

along a scan line j , n is an integer, z is a position along the focal axis, G_i is the transmission gray level between pairs of points separated by n pixels, and $f(z)$ is the focus score.

175. (Newly Added) The method of claim 135, wherein the slide comprises at least three fiducial points, and the method further comprises determining the global focal plane based on the at least three fiducial points.

176. (Newly Added) The method of claim 175, wherein the determination of the global focal plane comprises determining positions of the at least three fiducial points, and determining a scan axis slope, index axis slope, and focus intersect of the global focal plane based on the positions of the at least three fiducial points.

177. (Newly Added) The method of claim 135, wherein the at least one of the fine focus actions comprises the plurality of fine focus actions.